




PARK VEHICLE ON LEVEL GROUND AND APPLY PARK BRAKE



REMOVE TWO (2) OUTER BUMPER RETAINING BOLTS FROM FRONT OF BUMPER ON BOTH DRIVER AND PASSENGER SIDE

**RETAIN BOLTS** 


PASSENGER SIDE PICTURED



FIT MOUNT BRACKETS TO VEHICLE USING ORIGINAL BOLTS

HAND TIGHTEN ONLY

PASSENGER SIDE PICTURED



FIT NUDGE BAR TO OUTSIDE OF MOUNTS AND SECURE USING 1 1/4" x 3/8" BOLTS, FLAT WASHERS, SPRING WASHERS AND NUTS

HAND TIGHTEN ONLY

PASSENGER SIDE PICTURED



ALIGN NUDGE BAR WITH VEHICLE AND TIGHTEN ALL BOLTS



#### **FITTING KIT**

#### P/N GA03612002

#### P/N P2HN9318SY

Qty	Length	Diameter	Thread Pitch	Description	
4	1 1/4"	<sup>3</sup> / <sub>8</sub> "	UNC	Bolt Grade 8H/T	
4		<sup>3</sup> / <sub>8</sub> "	UNC	Nut	
4		<sup>3</sup> / <sub>8</sub> "		Spring Washer	
8		<sup>3</sup> / <sub>8</sub> "		Flat Washer	
1	Fitting Instructions				
1	Driver Side Steel Mount				
1	Passenger Side Steel Mount				
SEALED IN CLEAR BAG AND TAPED TO BAR					





UPDATED: 18-OCT-18

# DESPATCH CHECKLIST P2HN9318SY HINO 300 SERIES 036A WIDE CAB 2011-

Work Order No:	
Finish:	
Transport:	
Due Date:	
BK 1 BK 1 OC 1	Driver Side Steel Mount – In Bolt Kit  Passenger Side Steel Mount – In Bolt Kit  Bolt Kit
WR 1	Bolt Kit – Taped to Bar
	ther side of this page for photos of all mounts  THIS PRODUCT "THE BEST IT CAN BE"?  IF NO FIX BEFORE CONTINUING  Wrapper's Checker's Initials Initials
AL	PARTS CHECKED AND COMPLETED BY:
NUTS AND BOLTS:	DATE:/
ORDER CONTROL:	DATE:/
FINAL WRAP CHECK:	DATE: / /

P2HN9318SY









**PASSENGER SIDE STEEL MOUNT** 

Wrapper's Checker's
Initials Initials